



FIRST INFORMATION REPORT 12309

First information report of a cognizable crime reported under section 154 Cr. P.C., at P.S.

1. District BANKURA Sub-Divn BISHNUPUR P.S. INDAS Year 2024 FIR No 09/24 Date 18/01/24
2. (i) Act Sections (ii) Act Sections
(iii) Act Sections Other Acts & Sections 135(1)(a) & (b) OF ELECTRICITY ACT-2003, AMENDED IN 2007.
3. (a) General Diary Reference : Entry No. 789, DT-18-01-24 Time 19.05 HRS
(b) Occurrence of Offence : Day THURSDAY Date 18-01-24 Time DETECTED IN BETWEEN 15:35 HRS TO 15:55 HRS
(c) Information Received Date ON-18-01-2024 Time 19.05 HRS
G.D. No. 789 At the Police Station:
4. Type of information : Written / Oral TYPED
5. Place of Occurrence : (a) Direction and Distances from P.S. APPROX 24 KM EAST FROM PS
(b) Address VILL- KHORSHEE, PO- KHORSHEE, PS- INDAS, DIST- BANKURA.
JL NO- 121, ANCHALNO- 09, G.P- AKUI- II
(c) In case outside Limit of this Police Station, then the name of P.S.
District
6. Complaint/Informant :
(a) Name KANCHAN DAS
(b) Father's / Husband's Name SWAPAN DAS
(c) Date / Year of Birth NOT NOTED
(d) Nationality INDIAN
(e) Address AEP STATION MANAGER OF INDAS C.C.C, WBSEDCL
7. Details of know / Suspected / Unknown / Accused with Full particulars. KANU ROY, S/O- NALIN ROY
(Attach separate sheet, if necessary) OF VILL+PO- KHORSHEE, PS- INDAS, DIST- BANKURA.
8. Reasons for delay in reporting by complaint / informant
9. Particulars of properties stolen / Involved : (attach separate sheet, if required) : RX SINGLE CORE PVC CABLE
FITTED WITH HOOKING DEVICE LENGTH APPROX 2X10 FT.
10. Total value of Properties stolen / Involved :
11. Inquest report / U.D. : Case No., if any :
12. FIR Contents : (Attach separate sheet, if required) THE ORIGINAL TYPED COMPLAINT OF THE
COMPLAINANT WHICH IS TREATED AS FIR IS ATTACHED HERE WITH.
13. Action taken : Since the above report reveals commission of offence (s) u/s. 135(1)(a) & (b) OF ELECTRICITY
ACT-2003, AMENDED IN 2007.
I, SI SOMNATH PAL, O/C INDAS PS
registered the case and took up the investigation / directed PSI PARTHA MAHATA
OF INDAS PS. to take up the investigation
transferred to P.S. on point of jurisdiction. FIR read over to the complaint / informant
admitted to be correctly recorded and a copy given to the complaint / Informant free of cost.

Kanchan Das

Signature / Thumb Impression
of the Complainant / Informant

Somnath Pal 18/01/24
Signature of the officer-in-charge, Police Station with
Name : SOMNATH PAL
Rank : SI OF POLICE
Number if any : O/C INDAS PS

Officer-in-Charge
INDAS P.S.
BANKURA



West Bengal State Electricity Distribution Company Limited

(A Government of West Bengal Enterprise)

Office of the Station Manager, Indas Customer Care Centre

Indas – Bankura

Memo No: ICC/1411

Date: 18.01.2024

To,
The Officer-In-Charge,
Indas Police Station
Indas – Bankura

Sub: FIR U/S 135 (1)(a) & 1(b) of Electricity Act-2003, Amended in 2007 against accused, Kanu roy, S/o.- Nalin Roy of village Khorshee & P.O.- Khorshee, P.S. –Indas, Dist.-Bankura

Sir,

I, Sri Kanchan Das, S/o Sri Swapan Das, A.E. & Station Manager of Indas C.C.C. of WBSEDCL do here-by lodge complaint against accused Kanu Roy resident of village Khorshee & P.O- Khorshee, P.S- Indas, Dist.- Bankura bearing consumer ID: 201476891 for committing theft of electricity by direct hooking from the nearest LTOH line of WBSEDCL, thus bypassing the metering circuit at his commercial premises.

Receiving the information from reliable sources, between 15:35 hour to 15:55 hours, I, Sri Kanchan Das, AE & SM of Indas CCC, along with Sri Utsa Dey, S/o Alope Dey, JR. Engg. Gr. II, Indas CCC and S&LP team, Bankura Regional Office WBSEDCL, Sri Pradyumna Purohit, Sr. TSH, S/o Late Prasanta Kr. Purohit of Indas CCC and technical person of mobile van of Indas CCC inspected the premises of said accused person and it was detected that the said accused person was committing theft of electricity by direct hooking from the nearest LTOH line of WBSEDCL, thus bypassing the metering circuit of WBSEDCL. He was using the hooking line for the consumption at his commercial premises.

Inspection report was prepared on the spot and the consumed load was assessed as 1 K.W.

I directed Sri Pradyumna Purohit to remove the hooking wire from the LTOH line. Accordingly with the help of mobile van staff, he did the same.

I seized a portion of hooking wire of the accused as a sample by preparing seizure list and left the consumer premises with the inspection team.

It is well evident that the said accused person was committing theft of electricity as such he is liable for prosecution u/s - 135(1) (a) & 1(b) of Electricity Act-2003, amended in 2007.

Kindly treat this complaint as FIR.

Enclosure:

- 1) Photocopy of Notice
- 2) Original Copy of the Inspection reports.
- 3) Original Copy of the seizure lists
- 4) Produced seized articles with labels.

Yours faithfully

Kanchan Das 18/1/24

(KANCHAN DAS)
A.E & Station Manager
Indas CCC, WBSEDCL

AE (U) & Station Manager
INDUS C.C.C.
W.B.S.E.D.C.L.

[Signature] 18/01/24
Officer-in-Charge
INDAS P.S.
BANKURA

Received on 18/01/24 at 19.05 hrs
and started Indas PS case NO-09/24,
dt-18/01/24 u/s-135(1)(a) & 1(b) of Electricity
Act-2003, amended in 2007.

Schedule "A"



WEST BENGAL STATE ELECTRICITY DISTRIBUTION COMPANY LIMITED

(A Government of West Bengal Enterprise)

U42721

NOTICE

Sl. No.

WBSEDCL

(In terms of Regulation 4 of the WBERC-Electricity Supply Code, 2004)

Consumer Name : KAMU RAY

Consumer Id : 201476891

Premises (Address) : VILL-KHARSHI, PS-INDUS
DIST-BANKURA

Date : 08-01-2024 Time : 15-35 Hrs.

Notice of intention seeking access to the above mentioned premise(s) is hereby given by the undersigned, being d authorised by the West Bengal State Electricity Distribution Company Limited for reasons mentioned herein.

The undersigned, in respect of the energy meter(s), metering system and power supply arrangement at the abc mentioned premise(s), intends to conduct :

- Inspection Testing Meter installation Meter removal Meter replacement
- Replacement of electrical lines Alteration of electric lines Replacement of electrical pl
- Alteration of electrical plant Other(specify) _____

for reasons given hereunder :

- Theft of meter No display Burnt meter Low consumption Average billir
- Incorrect billing Low power factor CT reversal PT problems CT problems
- Load survey inconsistent with connected load Load survey inconsistent with contractual demand
- Drawal of load in excess of contractual demand Other (specify) _____

You or your representative are requested to be present during the inspection and on completion, a copy of Inspection Report will be given to you or your representative. You are requested to sign the Inspection Report a noting your comments thereon, if any.

If you wish to seek any clarifications regarding providing of such access to the premise(s) or wish to lodge complaint with higher officials, you may kindly contact the below mentioned officers on telephone.

You are requested to kindly acknowledge receipt of this notice.

Received notice

Refused to sign

(Signature of Consumer / Representative)

Date : / /

Contact Nos. :-

(i) Divisional Manager, Mob. No. 8900799346

B. S. Sengupta Division, WBSEDCL

(ii) Regional Manager, Mob. No. 8200729300

B. Sengupta Region, WBSEDCL

Yours faithfully,

Kanchan Das

Designation *AE & SM.*

Authorised Signatory for WBSEDCL

Indus eel

West Bengal State Electricity Distribution Company Limited

(A Government of West Bengal Enterprise)

INSPECTION ON L & M V CONSUMER

S & L P Inspection Team

HQ. Corporate, Vidyut Bhaavan / Baikuwa Divn. / Region

Name of the Consumer : Kanai Ray Date of Inspection : 18.01.2024
 Site Address (P.O.S) : Sp - Nalin Ray Category of Consumer : Ind./Com./Dom./Others
 Consumer Id : Vill - Kharokhi Nature of production : Poultry farm
 Name of C.C.C. : PS - Indeo, Dist - Baikuwa Contractual Load (KW/HP/KVA) : 0.7 KVA
 Name of the Division : Indeo
Biohmespur

Technical Details

1. Meter Details : Make WBSEDCL No. Volt Amps Meter Constant
 As Inspected : L3882664 1x240 5-30 A
 As par Card / Bill :

SEALS	Existing No.	Remarks	New No.
i) PR box (upper)	/		
ii) PR box (lower)			
iii) Meter terminal cover (L/R)			
iv) Meter body (SEDCL) (L / R)			
v) Meter body (Mfg.) (L / R)			
vi) Op. Port			
vii) 4/5 Level security seal (L / R)			

3. PR box conditions : Staandard / Non-Standard. OK / Not OK
 4. Meter Status : Sticky / Stop / Burnt / No display / Running / With Display
 5. Meter reading on date :
 6. Last 3 reading with date :
 7. Meter terminal voltage :
 (line / display) in volts. : V_{RN} (/) V_{YN} (/) V_{BN} (/)
 8. Load in Amps : I_R (/) I_Y (/) I_B (/)
 (Line / Meter display)
 9. Bias current (pot. ckt.) in mA : R- Y- B- N-
 10. Observed load (in KVA) : (physical) (meter) observed pf-

11. Phase sequence : Forward / Reverse Installed CTR :
 12. Observation : During inspection at the commercial premises of Srikant Ray, Sp - Nalin Ray, Vill - Kharokhi, PS - Indeo, Dist - Baikuwa, it is found that he was using electricity dishonestly & unauthorisedly by bypassing the energy meter of WBSEDCL through direct hooking from unshielded LTOT line of WBSEDCL for commercial (Poultry farm) purpose. Load around 1.0 kW.

13. Theft of Energy detected or not : yes
 Means of Theft, if detected : meter bypassing.

Consumer/User/Representative

1. Name :
 Relationship/Designation :
 Signature : Refused to sign.

Representative of C.C.C.

1. Name : Kanchan Das
 Designation : A.E & S.M.
 Signature : [Signature]
 2. Name : UTSA DEY
 Designation : J.E or D.
 Signature : [Signature]

S&LP Inspection Team Officials

1. Name : BIPLAB MANDI
 Designation : DELE, SLLP
 Signature : [Signature]
 2. Name :
 Designation :
 Signature :

Local Witness :

Name Father's Name Village P.S. Signature
 1. Local people were present but refused to sign.
 2.

SEIZURE LIST

Annexure-II

Date & hours of search : On 18.01.2024 From 15:35 hrs To 15:55 hrs
Place of search : Premises of Shri/Smt. Kanu Roy
Daughter/Son of Nalin Roy Address: Vill - Kharoshi
P.S.: Indus District: Bankura

Name and Address of the witnesses : (1) Shri/Smt. Utsa Dey
Daughter/Son of Adoke Dey
Address: Indus C.C.C, WBSEDCL P.S. Indus
District: Bankura
(2) Shri/Smt. Pradyumna Purohit
Daughter/Son of Lt Prasanta kr. Purohit
Address: Indus C.C.C, WBSEDCL P.S. Indus
District: Bankura

Article Seized :

- (i) 2x Single core PVC cable fitted with locking device length approx 2x10ft.
- (ii) _____
- (iii) _____
- (iv) _____
- (v) _____
- (vi) _____
- (vii) _____
- (viii) _____
- (ix) _____

Signature of the witnesses :

(1) Signature : Utsa Dey
Date : 18.01.2024,

(2) Signature : Pradyumna Purohit
Date : 18/01/24

Refused to sign.

Signature / L.T.I. of the accused person (if refused to be noted)

Kanchan Das
18/01/24
Signature of the WBSEDCL Officer conducted search & seizure :
AE (U) & Station Manager
INDUS C.C.C.
W.B.S.E.D.C.L.